

- Original Paper
- [Published: 20 January 2019](#)

Invader invaded: population dynamics of zebra mussels (*Dreissena polymorpha*) and quagga mussels (*Dreissena rostriformis bugensis*) in polymictic Oneida Lake, NY, USA (1992–2013)

- [Amy Lee Hetherington](#),
- [Lars G. Rudstam](#),
- [Rebecca L. Schneider](#),
- [Kristen T. Holeck](#),
- [Christopher W. Hotaling](#),
- [John E. Cooper](#) &
- [James R. Jackson](#)

[Biological Invasions](#) **volume 21**, pages 1529–1544 (2019) [Cite this article](#)

- **942** Accesses
- **12** Citations
- [Metrics](#)[details](#)

Abstract

Invasive zebra (ZM) and quagga (QM) mussels continue to spread within and across inland waters worldwide. Oneida Lake, NY, USA, is a large (207 km²), mesotrophic, polymictic lake surveyed annually for dreissenids across substrates since 1992. We estimated abundance and distribution of ZMs and QMs across substrates, calculated lakewide density and biomass, analyzed seasonal and annual differences in veliger density, and explored dynamics of species replacement. ZMs and QMs were detected in 1991 and 2005, respectively. ZM density peaked at almost 30,000 ind/m² in 1992, declined to between 2600 and 7600 ind/m² until 2008, and further declined to 370–560 ind/m² in 2010–2013 concurrent with increasing QM abundance. ZM biomass remained stable from 1992 to 2008 (140–530 g shell-on dry wt/m²) but declined to < 10 g from 2010 to 2013. QMs increased from 38% of the total biomass in 2008 to ≥ 90% from 2010 to 2013 which was accompanied by a

decrease in ZM lengths and increase in QM lengths. In shallow (< 9 m) waters, both mussels were more abundant on rock than sand and silt substrate. Only QMs were abundant in deep silt substrate. The shift from ZM to QM dominance increased total biomass, but not density, due to larger QMs. Veliger densities were higher in May and August–November after arrival of QMs; however, there was no correlation between number of veligers and new recruits in fall or adult mussel biomass. The replacement of ZM occurred over about 4 years even though published mechanisms for QM dominance are not operating in summer in Oneida Lake.

This is a preview of subscription content, [access via your institution](#).

References

- Baldwin BS, Mayer MS, Dayton J, Pau N, Mendilla J, Sullivan M et al (2002) Comparative growth and feeding in zebra and quagga mussels (*Dreissena polymorpha* and *Dreissena bugensis*): implications for North American lakes. *Can J Fish Aquat Sci* 59:680–694

[Article Google Scholar](#)

- Barbiero RP, Lesht BM, Warren GJ, Rudstam LG, Watkins JM, Reavie ED et al (2018) A comparative examination of recent changes in nutrients and lower food web structure in Lake Michigan and Lake Huron. *J Great Lakes Res* 44:573–589

[Article CAS PubMed PubMed Central Google Scholar](#)

- Birkett K, Lozano S, Rudstam LG (2015) Long-term trends in Lake Ontario's benthic macroinvertebrate community from 1994–2008. *Aquat Ecosyst Health Manag* 18:76–85

[Article Google Scholar](#)

- Burlakova LE, Karatayev AY, Padilla DK (2006) Changes in the distribution and abundance of *Dreissena polymorpha* within lakes through time. *Hydrobiologia* 517:133–146

[Article Google Scholar](#)

- Chu C, Minns CK, Moore JE, Millard ES (2004) Impact of oligotrophication, temperature, and water levels on walleye habitat in the Bay of Quinte, Lake Ontario. *Trans Am Fish Soc* 133:868–879

[Article Google Scholar](#)

- Claxton WT, Mackie GL (1998) Seasonal and depth variations in gametogenesis and spawning of *Dreissena polymorpha* and *Dreissena bugensis* in eastern Lake Erie. *Can J Zool* 76:2010–2019

[Article Google Scholar](#)

- Diggins TP (2001) A seasonal comparison of suspended sediment filtration by quagga (*Dreissena bugensis*) and zebra (*D. polymorpha*) mussels. *J Great Lakes Res* 27:457–466

[Article Google Scholar](#)

- Fitzgerald D, Zhu B, Mills E, Rudstam L, Hoskins S, Haddad D et al (2016) Dynamics of aquatic vegetation in Oneida Lake, 1915–2005: a response to ecosystem changes. In: Rudstam L, Mills E, Jackson J, Stewart D (eds) *Oneida Lake: long-term dynamics of a managed ecosystem and its fisheries*. American Fisheries Society, Bethesda, pp 181–200

[Google Scholar](#)

- Ginn BK, Bolton R, Coulombe D, Fleischaker T, Yerex G (2018) Quantifying a shift in benthic dominance from zebra (*Dreissena polymorpha*) to quagga (*Dreissena rostriformis bugensis*) mussels in a large, inland lake. *J Great Lakes Res* 44:271–282

[Article Google Scholar](#)

- Greeson P (1971) *Limnology of Oneida Lake with emphasis on factors contributing to algae blooms*. United States Department of the Interior Geological Survey, Albany

[Google Scholar](#)

- Hebert PDN, Muncaster BW, Mackie GL (1989) Ecological and genetic studies on *Dreissena polymorpha* (Pallas): a new mollusk in the Great Lakes. *Can J Fish Aquat Sci* 46:1587–1591

[Article Google Scholar](#)

- Hetherington AL (2016) Ecological forecasting for Oneida Lake: impacts of climate change and invasive mussels on lake dynamics. Dissertation, Cornell University
- Higgins SN, Vander Zanden MJ (2010) What a difference a species makes: a meta-analysis of dreissenid mussel impacts on freshwater ecosystems. *Ecol Monogr* 80:179–196

[Article Google Scholar](#)

- Hunter RG, Simons KA (2004) Dreissenids in Lake St. Claire in 2001: evidence for population regulation. *J Great Lakes Res* 30:528–537

[Article Google Scholar](#)

- Irwin BJ, Rudstam LG, Jackson JR, VanDeValk AJ, Forney JL, Fitzgerald DG (2009) Depensatory mortality, density-dependent growth, and delayed compensation: disentangling the interplay of mortality, growth, and density during early life stages of yellow perch. *Trans Am Fish Soc* 138:99–110

[Article Google Scholar](#)

- Johnson LE (1995) Enhanced early detection and enumeration of zebra mussel (*Dreissena* spp.) veligers using cross-polarized light microscopy. *Hydrobiologia* 312:139–146

[Article Google Scholar](#)

- Jones LA, Ricciardi A (2014) The influence of pre-settlement and early post-settlement processes on the adult distribution and relative dominance of two invasive mussel species. *Freshw Biol* 59:1086–1100

[Article Google Scholar](#)

- Jones CG, Lawton JH, Shachak M (1994) Organisms as ecosystem engineers. *Oikos* 69:373–386

[Article Google Scholar](#)

- Karatayev AY, Burlakova LE, Padilla DK (1997) The effects of *Dreissena polymorpha* (Pallas) invasion on aquatic communities in Eastern Europe. *J Shellfish Res* 16:187–203

[Google Scholar](#)

- Karatayev AY, Burlakova LE, Padilla DK (2002) Impacts of zebra mussels on aquatic communities and their role as ecosystem engineers. In: Leppäkoski E, Gollasch S, Olenin S (eds) *Invasive aquatic species of Europe: distribution, impacts and management*. Springer, Dordrecht, pp 433–446

[Chapter Google Scholar](#)

- Karatayev AY, Burlakova LE, Padilla DK (2006) Growth rate and longevity of *Dreissena polymorpha* (Pallas): a review and recommendation for future study. *J Shellfish Res* 25:23–32

[Article Google Scholar](#)

- Karatayev AY, Burlakova LE, Mastitsky SE, Padilla DK, Mills EL (2011) Contrasting rates of spread of two congeners, *Dreissena polymorpha* and *Dreissena rostriformis bugensis*, at different spatial scales. *J Shellfish Res* 30:923–931

[Article Google Scholar](#)

- Karatayev AY, Burlakova LE, Pennuto C, Ciborowski J, Karatayev VA, Juetten P et al (2014) Twenty five years of change in *Dreissena* spp. populations in Lake Erie. *J Great Lakes Res* 40:550–559

[Article Google Scholar](#)

- Karatayev AY, Burlakova LE, Padilla DK (2015) Zebra versus quagga mussels: a review of their spread, population dynamics, and ecosystem impacts. *Hydrobiologia* 746:97–112

[Article CAS](#) [Google Scholar](#)

- Kissman CEH, Knoll LB, Sarnelle O (2010) Dreissenid mussels (*Dreissena polymorpha* and *Dreissena bugensis*) reduce microzooplankton and macrozooplankton biomass in thermally stratified lakes. *Limnol Oceanogr* 55:1851–1859

[Article](#) [Google Scholar](#)

- Kraft CE, Johnson LE (2000) Regional differences in rates and patterns of North American inland lake invasions by zebra mussels (*Dreissena polymorpha*). *Can J Fish Aquat Sci* 57:993–1001

[Article](#) [Google Scholar](#)

- MacIsaac HJ, Sprules WG, Leach JH (1991) Ingestion of small-bodied zooplankton by zebra mussels: can cannibalism on larvae influence population dynamics? *Can J Fish Aquat Sci* 48:2151–2160

[Google Scholar](#)

- Marescaux J, Boets P, Lorquet J, Sablon R, Van Doninck K, Beisel J-N (2015) Sympatric *Dreissena* species in the Meuse River: towards a dominance shift from zebra to quagga mussels. *Aquat Invasion* 10:287–298

[Article](#) [Google Scholar](#)

- Matthews J, Van der Velde G, Bij de Vaate A, Collas FPL, Koopman KR, Leuven RSEW (2014) Rapid range expansion of the invasive quagga mussel in relation to zebra mussel presence in the Netherlands and Western Europe. *Biol Invasions* 16:23–42

[Article](#) [Google Scholar](#)

- May B, Marsden JE (1992) Genetic identification and implications of another invasive species of dreissenid mussel in the Great Lakes. *Can J Fish Aquat Sci* 49:1501–1506

[Article Google Scholar](#)

- Mayer CM, Rudstam LG, Mills EL, Cardiff SG, Bloom CA (2001) Zebra mussels (*Dreissena polymorpha*), habitat alteration, and yellow perch (*Perca flavescens*) foraging: system-wide effects and behavioural mechanisms. *Can J Fish Aquat Sci* 58:2459–2467

[Article Google Scholar](#)

- Mayer CM, Keats RA, Rudstam LG, Mills EL (2002) Scale-dependent effects of zebra mussels on benthic invertebrates in a large eutrophic lake. *J the N Am Benthol Soc* 21:616–633

[Article Google Scholar](#)

- Mayer CM, Burlakova LE, Eklöv P, Fitzgerald D, Karatayev AY, Ludsins SA et al (2014) Benthification of freshwater lakes: exotic mussels turning ecosystems upside down. In: Nalepa TF, Schloesser DW (eds) *Quagga and zebra mussels: biology, impacts, and control*, 2nd edn. CRC Press, Boca Raton, pp 575–585

[Google Scholar](#)

- Mayer CM, Zhu B, Cecala R (2016) The zebra mussel invasion of Oneida Lake: benthification of a eutrophic lake. In: Rudstam L, Mills E, Jackson J, Stewart D (eds) *Oneida Lake: long-term dynamics of a managed ecosystem and its fisheries*. American Fisheries Society, Bethesda, pp 161–180

[Google Scholar](#)

- Mei X, Zhang X, Kassam SS, Rudstam LG (2016) Will the displacement of zebra mussels by quagga mussels increase water clarity in shallow lakes during summer? Results from a mesocosm experiment. *PLoS ONE* 11:e0168494

[Article](#) [CAS](#) [PubMed](#) [PubMed Central](#) [Google Scholar](#)

- Mellina E, Rasmussen JB, Mills EL (1995) Impact of the zebra mussel (*Dreissena polymorpha*) on phosphorus cycling and chlorophyll in lakes. *Can J Fish Aquat Sci* 52:2553–2573

[Article](#) [CAS](#) [Google Scholar](#)

- Miehl ALJ, Mason DM, Frank KA, Krause AE, Peacor SD, Taylor WW (2009) Invasive species impacts on ecosystem structure and function: a comparison of Oneida Lake, New York, USA, before and after zebra mussel invasion. *Ecol Model* 220:3194–3209

[Article](#) [Google Scholar](#)

- Mills EL, Dermott RM, Roseman EF, Dustin D, Mellina E, Conn DB, Spidle AP (1993) Colonization, ecology, and population structure of the quagga mussel (*Bivalvia*, *Dreissenidae*) in the lower Great Lakes. *Can J Fish Aquat Sci* 50:2305–2314

[Article](#) [Google Scholar](#)

- Mills EL, Rosenberg G, Spidle AP, Ludyanskiy M, Pligin Y, May B (1996) A review of the biology and ecology of the quagga mussel (*Dreissena bugensis*), a second species of freshwater dreissenid introduced to North America. *Am Zool* 36:271–286

[Article](#) [Google Scholar](#)

- Mills EL, Chrisman JR, Baldwin B, Owens RW, O’Gorman R, Howell T et al (1999) Changes in the dreissenid community in the lower Great Lakes with emphasis on southern Lake Ontario. *J Great Lakes Res* 25:187–197

[Article](#) [Google Scholar](#)

- Mills EL, Casselman JM, Dermott R, Fitzsimons JD, Gal G, Holeck KT et al (2003) Lake Ontario: food web dynamics in a changing ecosystem (1970–2000). *Can J Fish Aquat Sci* 60:471–490

[Article Google Scholar](#)

- Mills E, Forney J, Holeck K (2016) Oneida Lake: A century of biotic introductions and ecosystem change. In: Rudstam L, Mills E, Jackson J, Stewart D (eds) Oneida Lake: long-term dynamics of a managed ecosystem and its fisheries. American Fisheries Society, Bethesda, pp 87–110

[Google Scholar](#)

- Naddafi R, Rudstam LG (2013) Predator-induced behavioural defences in two competitive invasive species. *Anim Behav* 86:1275–1284

[Article Google Scholar](#)

- Naddafi R, Rudstam LG (2014a) Does differential predation explain the replacement of zebra by quagga mussels? *Freshw Sci* 33:895–903

[Article Google Scholar](#)

- Naddafi R, Rudstam LG (2014b) Predator-induced morphological defences in two invasive dreissenid mussels: implications for species replacement. *Freshw Biol* 59:703–713

[Article Google Scholar](#)

- Naddafi R, Blenckner P, Eklöv P, Pettersson K (2011) Physical and chemical properties determine zebra mussel invasion success in lakes. *Hydrobiologia* 669:227–236

[Article CAS Google Scholar](#)

- Nakano D, Strayer DL (2014) Biofouling animals in fresh water: biology, impacts, and ecosystem engineering. *Front Ecol Environ* 12:167–175

[Article Google Scholar](#)

- Nalepa TF, Schloesser DW (eds) (2014) Quagga and zebra mussels: biology, impacts, and control, 2nd edn. CRC Press, Boca Raton

[Google Scholar](#)

- Nalepa TF, Wojcik JA, Fanslow DL, Lang GA (1995) Initial colonization of the zebra mussel (*Dreissena polymorpha*) in Saginaw Bay, Lake Huron: population recruitment, density and size structure. *J Great Lakes Res* 21:417–434

[Article Google Scholar](#)

- Nalepa TF, Fanslow DL, Lang GA (2009) Transformation of the offshore benthic community in Lake Michigan: recent shift from the native amphipod *Diporeia* spp. to the invasive mussel *Dreissena rostriformis bugensis*. *Freshw Biol* 54:466–479

[Article Google Scholar](#)

- Nalepa TF, Fanslow DL, Pothoven SA (2010) Recent changes in density, biomass, recruitment, size structure, and nutritional state of *Dreissena* populations in southern Lake Michigan. *J Great Lakes Res* 36:5–19

[Article CAS Google Scholar](#)

- O'Neill CR Jr (1997) Economic impact of zebra mussels: results of the 1995 National Zebra Mussel Information Clearinghouse study. *Great Lakes Res Rev* 3:35–42

[Google Scholar](#)

- Orlova MI, Muirhead JR, Antonov PI, Shcherbina GK, Starobogatov YI, Biochino GI et al (2005) Range expansion of quagga mussels (*Dreissena rostriformis bugensis*) in the Volga River and Caspian Sea basin. *Aquat Ecol* 38:561–573

[Article Google Scholar](#)

- Patterson MW, Ciborowski JJ, Barton DR (2005) The distribution and abundance of *Dreissena* species (Dreissenidae) in Lake Erie, 2002. *J Great Lakes Res* 31:223–237

[Article Google Scholar](#)

- Ram JL, Karim AS, Banno F, Kashian DR (2012) Invading the invaders: reproductive and other mechanisms mediating the displacement of zebra mussels by quagga mussels. *Invertebr Reprod Dev* 56:21–32

[Article Google Scholar](#)

- Ramcharan CW, Padilla DK, Dodson SI (1992) Models to predict potential occurrence and density of the zebra mussel, *Dreissena polymorpha*. *Can J Fish Aquat Sci* 49:2611–2620

[Article Google Scholar](#)

- Ray WJ, Corkum LD (1997) Predation of zebra mussels by round gobies, *Neogobius melanostomus*. *Environ Biol Fishes* 50:267–273

[Article Google Scholar](#)

- Roe SL, MacIsaac HJ (1997) Deepwater population structure and reproductive state of quagga mussels (*Dreissena bugensis*) in Lake Erie. *Can J Fish Aquat Sci* 54:2428–2433

[Article Google Scholar](#)

- Rudstam LG (2017a) Lakewide zebra and quagga mussel summary, Oneida Lake, New York, 1992 to present. Web data on Knowledge Network for Biocomplexity. Original data set published in 2008. Updated in 2017. <https://knb.ecoinformatics.org/view/kgordon.23.54>. Accessed 15 Jan 2019
- Rudstam LG (2017b) Benthic invertebrates in Oneida Lake, New York, 1964–present. Web data on Knowledge Network for Biocomplexity. Original data published in 2008. Updated in 2017. <https://knb.ecoinformatics.org/view/kgordon.4.65>. Accessed 15 Jan 2019
- Rudstam LG, Jackson JR, Hetherington AL (2016a) Concluding remarks: Forecasting the future of Oneida Lake and its fishery in an era of climate change and biological invasions. In: Rudstam L, Mills E, Jackson J, Stewart D (eds) Oneida Lake: long-term dynamics of a

managed ecosystem and its fisheries. American Fisheries Society, Bethesda, pp 525–540

[Google Scholar](#)

- Rudstam LG, Mills EL, Jackson JR, Stewart DJ (eds) (2016b) Oneida Lake: Long-term dynamics of a managed ecosystem and its fishery. American Fisheries Society, Bethesda

[Google Scholar](#)

- Schaner T (1990) Detection of zebra mussel veliger in plankton samples using sugar solution. In: Ontario Ministry of Natural Resources Lake Ontario Fisheries Unit (ed) Lake Ontario Fisheries Unit 1990 annual report, LOA 91.1.. Ontario Ministry of Natural Resources, Picton, pp 6.1–6.3
- Sprung M (1989) Field and laboratory observations of *Dreissena polymorpha* larvae: abundance, growth, mortality, and food demands. Arch Hydrobiol 115:537–561

[Google Scholar](#)

- Stanczykowska A, Lewandowski K (1993) Thirty years of *Dreissena polymorpha* ecology in Mazurian Lakes of northeastern Poland. In: Nalepa TF, Schloesser DW (eds) Zebra mussels: biology, impacts, and control. Lewis Publishers, Boca Raton, pp 3–33

[Google Scholar](#)

- Stewart TW, Haynes JM (1994) Benthic macroinvertebrate communities of Southwestern Lake Ontario following invasion of *Dreissena*. J Great Lakes Res 20:479–493

[Article Google Scholar](#)

- Stoeckmann A (2003) Physiological energetics of Lake Erie dreissenid mussels: a basis for the displacement of *Dreissena polymorpha* by *Dreissena bugensis*. Can J Fish Aquat Sci 60:126–134

[Article Google Scholar](#)

- Strayer DL, Malcom HM (2006) Long-term demography of a zebra mussel (*Dreissena polymorpha*) population. *Freshw Biol* 51:117–130

[Article Google Scholar](#)

- Strayer DL, Adamovich BV, Adrian R, Aldridge DC, Balogh CS, Burlakova LE et al (in review) Long-term population dynamics of zebra and quagga mussels (*Dreissena polymorpha* and *D. rostriformis*): a cross-system analysis. *Ecosphere*
- Strayer DL, Caraco NF, Cole JJ, Findlay S, Pace ML (1999) Transformation of freshwater ecosystems by bivalves—a case study of zebra mussels in the Hudson River. *Bioscience* 49:19–27

[Article Google Scholar](#)

- Taylor WA (2015) Change-point analysis: a powerful new tool for detecting changes. <http://www.variation.com/files/articles/changepoint.pdf>. Accessed 27 Aug 2015
- Vanderploeg HA, Liebig JR, Nalepa TF, Fahnenstiel GL, Pothoven SA (2010) *Dreissena* and the disappearance of the spring phytoplankton bloom in Lake Michigan. *J Great Lakes Res* 36:50–59

[Article Google Scholar](#)

- Wilson KA, Howell ET, Jackson DA (2006) Replacement of zebra mussels by quagga mussels in the Canadian nearshore of Lake Ontario: the importance of substrate, round goby abundance, and upwelling frequency. *J Great Lakes Res* 32:11–28

[Article Google Scholar](#)

- Zhu B, Fitzgerald DG, Mayer CM, Rudstam LG, Mills EL (2006) Alteration of ecosystem function by zebra mussels in Oneida Lake: impacts on submerged macrophytes. *Ecosystems* 9:1017–1028

[Article Google Scholar](#)

- Zhukova TV, Radchikova NP, Mikheyeva TM, Veres JK, Medvinsky AB, Lukyanova EV (2017) Long-term dynamics of suspended matter in Naroch Lakes: trend or intervention. *Inland Water Biol* 10:250–257

[Article Google Scholar](#)

- Zhulidov AV, Nalepa TF, Kozhara AV, Zhulidov DA, Gurtovaya TY (2006) Recent trends in relative abundance of two dreissenid species, *Dreissena polymorpha* and *Dreissena bugensis* in the Lower Don River system, Russia. *Arch Hydrobiol* 165:209–220

[Article Google Scholar](#)

- Zhulidov AV, Kozhara AV, Scherbina GH, Nalepa TF, Protasov A, Afanasiev SA et al (2010) Invasion history, distribution, and relative abundances of *Dreissena bugensis* in the Old World: a synthesis of data. *Biol Invasions* 12:1923–1940

[Article Google Scholar](#)

[Download references](#)

Acknowledgments

We thank Edward Mills for the inspiration to study mussel dynamics in Oneida Lake and for leading the annual surveys of mussels in Oneida Lake from 1992 through 2009. Many technicians and graduate students at the Cornell Biological Field Station contributed to these data sets, including Spencer Hall, Fred Henson, Catherine Hoffman, Michael Hoffman, Rachel Keats, Jana Lantry, Eric Pueschel, Travis Spier, Jonathan Swan, and Carrie Wafer. We also wish to thank Lyubov Burlakova, Cayelan Carey, Nasseer Idrisi, Alexander Karatayev, and Christine Mayer for discussions on mussel dynamics and Ladd Johnson and an anonymous reviewer for helpful comments on the manuscript. This research was supported by Cornell University, New York State Department of Environmental Conservation (NYSDEC) grant to JRJ and LGR, and United States Department of Agriculture (USDA) National Institute of Food and Agriculture (NIFA), Hatch Project 0226747 to LGR, RLS and JRJ. Additional support to ALH was provided by Cayelan Carey at Virginia Polytechnic Institute and State University through a National Science Foundation (NSF) Grant 1517823. Any opinions, findings, conclusions, or recommendations expressed in this

publication are those of the authors and do not necessarily reflect the view of the NIFA, NSF, NYSDEC, or USDA.

Author information

Author notes

1. Amy Lee Hetherington

Present address: Department of Biological Sciences, Virginia Polytechnic Institute and State University, Blacksburg, VA, USA

Authors and Affiliations

1. Department of Natural Resources, Cornell University, Ithaca, NY, USA

Amy Lee Hetherington, Lars G. Rudstam, Rebecca L. Schneider, Kristen T. Holeck, Christopher W. Hotaling & James R. Jackson

2. Cornell Biological Field Station, Bridgeport, NY, USA

Amy Lee Hetherington, Lars G. Rudstam, Rebecca L. Schneider, Kristen T. Holeck, Christopher W. Hotaling & James R. Jackson

3. Cooper Environmental Research, Constantia, NY, USA

John E. Cooper

Corresponding author

Correspondence to [Amy Lee Hetherington](#).

Ethics declarations

Conflict of interest

The authors declare that they have no conflict of interest.

Rights and permissions

[Reprints and Permissions](#)

About this article

Cite this article

Hetherington, A.L., Rudstam, L.G., Schneider, R.L. *et al.* Invader invaded: population dynamics of zebra mussels (*Dreissena polymorpha*) and quagga mussels (*Dreissena rostriformis bugensis*) in polymictic Oneida Lake, NY, USA

(1992–2013). *Biol Invasions* **21**, 1529–1544 (2019).
<https://doi.org/10.1007/s10530-019-01914-0>

[Download citation](#)

- Received 11 March 2018
- Accepted 07 January 2019
- Published 20 January 2019
- Issue Date 15 May 2019
- DOI <https://doi.org/10.1007/s10530-019-01914-0>

Keywords

- **Biomass**
- **Depth**
- **Invasive species**
- **Substrate**
- **Veligers**